

DISASTER RESTORATION, REMEDICATION & ASBESTOS ABATEMENT

Helping keep you and your crew safe, secure, and supported.





ABOUT US

We are a proud Canadian company who manufactures our own Abatement Technologies branded equipment in Fort Erie, Ontario. We believe in producing equipment of the highest quality and materials made to exacting standards. Our highly knowledgeable staff is committed to supporting you with customized solutions for all of your restoration and asbestos abatement projects.

While quality equipment is of the utmost importance, we recognise that our customers need much more than just equipment to function on the job. For this reason we have added extensive lines of consumable products, safety equipment, personal protective equipment, and training to truly become a one-stop destination for all your abatement, remediation, and restoration needs.





OUR FLEET IS READY TO SERVE YOU

Keeping your equipment up-to-date and safe to use is not only important for compliance but to ensure preventable injuries don't happen. We know this is important and we are continually expanding the testing and inspection services we offer to help keep you and your crew safe, secure, and In-Spec.

Trust our professionals to make sure your equipment is up-to-date and working properly with these In-Spec services:

- Harness Inspection/Certification
- Lanyard Inspection/Certification
- Sling Adapter Inspection/Certification
- SRL/SRD Inspection/Certification
- Respiratory FIT Testing
- DOP-PAO Testing/Certification

EQUIPMENT LEASING

Contact your branch for details.

SERVICE AND REPAIR

We offer equipment repair on most major brands of dehumidifiers, air filtration units, drying fans and more.

COMPREHENSIVE TRAINING PROGRAMS

Abatement Technologies offers training courses for various industry professionals. Browse through our events listing online to find courses for healthcare construction, duct cleaning, disaster restoration and infection control. Each year, the Aire Guardian® Academy offers courses at our facilities across Canada. Our curriculum is supported by accredited trainers that provide courses for the CSA, IICRC, OH&S and more. We can also arrange training in your own facility.

IICRC (RESTORATION TRAINING)

- Water Damage Restoration Technician (WRT)
- Applied Microbial Remediation Technician (AMRT)
- Fire & Smoke Damage Restoration Technician (FSRT)
- Commercial Drying Specialist (CDS)

OTHER INDUSTRY TRAINING

- Asbestos Abatement Worker (MTCU Program 253W)
- Asbestos Abatement Supervisor (MTCU Program 253S)
- Asbestos Awareness (4 Hour)
- CSA – Infection Control During Construction, Renovation, and Maintenance of Healthcare Facilities

Course offerings may vary by branch. Please check Abatement.ca for full details.



TABLE OF CONTENTS

Commercial Drying Equipment	5-6	Magnetic Closures and Disposal Gloves/Bags	22-23
Portable HEPA Vacuums	7	Accessories	24
Air Filtration and Negative Air Machines	8-9	Mould Coatings and Disinfectant	25
Decontamination Showers	10	Fogger and Sprayers	26
Monitoring & Detection Instruments	11	Personal Protective Equipment	27
Air Sampling	12	Respiratory Protection	28-29
Finishing Solutions	13	Supplied Air	30
Adhesive Tapes and Spray Glues	14	Fall Arrest	31
Containment	15-19	Specialty and Hand Tools	32
Containment Products	20	Lighting and Electrical	33
Esteam® Cleaning Systems	21	DUCT-PRO® Equipment	34-35



CANADA: 800-827-6443 • US: 800-634-9091 • WWW.ABATEMENT.CA



COMMERCIAL DRYING EQUIPMENT

DEHUMIDIFIERS

The new AQUATRAP® RS line from Abatement Technologies® delivers the same powerful structural drying power as their predecessors and now features a stackable roto-molded plastic cabinet.



DOWNLOAD AND ACTIVATE

AVAILABLE ON **GOOGLE PLAY STORE**
AND **APPLE APP STORE**

AQUATRAP® AT150C LGR DEHUMIDIFIER



PART NO: AT150C

- Get instant, real time readings with built-in WiFi and the AT Dry App
- Units may be stacked up to two high for space saving storage
- Water removal @ AHAM (80°F/60% RH) 85 Pints / 40L per day
- Folding handle is easily moved out of the way
- "No tools" filter changes

XACTIMATE - WTR-DHM>

AQUATRAP® AT200C LGR DEHUMIDIFIER



PART NO: AT200C

- Get instant, real time readings with built-in WiFi and the AT Dry App
- Make adjustments anytime, anywhere
- Stackable for space saving storage
- Water removal @ AHAM (80°F/60% RH) 110 Pints / 52L per day
- Folding handle is easily moved out of the way
- "No tools" filter changes

XACTIMATE - WTR-DHM>>

AQUATRAP® AT250RS LGR DEHUMIDIFIER



PART NO: AT250RS

- Water removal 90°F / 90%RH: 266 Pints / 126L per day
- Water removal @ AHAM (80°F / 70%RH): 147 Pints / 70L per day
- Rated Air Flow: 413 CFM / 700 m³/h
- Amperage: 12A max

XACTIMATE - WTR-DHM>>

AIR MOVERS

RAM Air Movers from Abatement Technologies® are the preferred choice of water restoration professionals.

RAM LOW PROFILE AIR MOVERS



PART NO: RAM1000LP

- 2 Speed settings: High (1,000 CFM) and Low (700 CFM)
- Can be placed in 4 drying positions
- Onboard GFCI protects against electrical shock in damp or wet applications
- Designed to stack for easy storage
- Easy-clean, removable front grill and polyethylene housing
- Conforms to UL 507 and CSA 22.2 No. 113 standards
- Hour meter
- Resettable circuit breaker
- Weighs 20.3 lbs
- Less than 2 amps on high

RAM CENTRIFUGAL AIR MOVERS



PART NO: RAM1000

- High velocity: 2,850 FPM @ high speed
- Air volume: 1,125 CFM @ high speed
- 2.2 amps (low speed) / 2.8 amps (high speed)
- Perfect weight balance: Weighs only 25 lbs
- 3 operating positions: Horizontal, 45 degrees and vertical



DBK DRYMATIC SIMPLE STARTER KIT



PART NO:DBK-FGPH150



- Covers 100 sq. ft
- Boost Bar - Rotomolded lightweight Heater
- Fan to Boost Bar Connector - Prevents air loss
- 3m x 2m Floor mat - Perforations on bottom for air
- 3m x 1m Floor mat - perfect for hallways
- Qty 2: 60cm mat to mat connectors - Join the mats in any orientation
- Black Roller Bag

XACTIMATE®

DBK PRODUCT	ITEM CODE	DESCRIPTION	PRICE (USD)
BOOST BAR	WTRHTAM	Thermal Air Mover (Boost Box/Bar and Air Mover Combination)	\$200/Day
MATS (EACH)	WTRHTBL	Drying Blanket/Mat (per 24hr period) - No Monitoring	\$45/Day

HEAVY DUTY APPLIANCE MOVERS

Ideal for countless loads and powerful enough for all full-size residential appliances these models are the best choice for anyone who routinely needs to move luxury appliances 48" wide and greater.

AS-AM2400-VS	Air Sled Heavy Duty with Variable Speed up to 950 lb
AS-AM2200-VS	Air Sled Heavy Duty with Variable Speed up to 750 lbs
AS-AM2100-VS	Air Sled Heavy Duty with Variable Speed up to 450 lbs
AS-AC32SK	Air Sled Spacer Kit for Appliances on Legs
AS-AC72HS	Air Sled Double XL Hose set of 2



CUSTERS ALUMINUM SCAFFOLDING

The Custers Foldy aluminium folding scaffold is the perfect solution for small maintenance and installation activities. The aluminium folding scaffold is the ideal workmate for domestic, office, garage or factory use. Thanks to its lightweight yet durable construction it is a quick and safe option for quick jobs at a limited height.

FOLDY13	Custers Aluminum Scaffolding Foldy 13
FOLDY100	FOLDY Scaffolding Large Outriggers
FOLDY105	FOLDY Scaffolding Small Outriggers





PORTABLE HEPA VACUUMS

CANISTER STYLE WET/DRY HEPA VAC

- Exceptional wet/dry performance: 135 CFM and 92" static lift
- Portable, compact and lightweight design: 22 lbs
- Durable polyethylene cabinet
- 1.6 HP motor
- Comes with complete toolset
- 8-gallon tank capacity
- 22' power cord
- Filters:
V8042, V8042-W HEPA, 99.97% Efficiency 1/ea
V8040 - Replacement Bags 5/pk



PART NO: V8000WD

BACKPACK HEPA VAC

- Lightweight, ergonomic design to reduce fatigue
- Powerful 99 CFM airflow and 96" static lift
- Upstream HEPA filter rated 99.99% @ 0.3 microns
- Toolset included
- 50' power cord
- Filters:
V1471097500 - Dust Bag, 5/pk
V1471104500 - HEPA Filter, 1/ea



PART NO: G010

CANISTER STYLE DRY HEPA VAC

- Exceptional performance: 74 CFM and 92" static lift
- Portable, compact & lightweight design: 16.5 lbs
- Sturdy chrome-plated steel container
- True 99.97%+ efficiency HEPA filter
- Toolset included
- 4-gallon tank capacity
- 32' power cord
- Filters:
V93040 - Replacement Bags, 10/pk
V930-10 - HEPA Filter, 1/ea



PART NO: G0930

HEPA VACUUM DUSTLESSVAC® WET+DRY 16 GAL W/12' HOSE



PART NO: DT-D1606

- Fully certified and serialized HEPA Filter Vacuum
- Go between wet and dry without switching filters
- Large capacity barrel holds 40 lbs of dust
- Dimensions: 20" L x 21" W x 26" H
- Weight: 41 lbs
- Colour: Yellow/Black
- Water Lift: 103.60"
- Air Flow: 130.90 CFM
- Voltage: 120
- Amps: 10.60
- Noise Level: 79 dB
- Cord Length: 15'
- Hose Length: 12'
- Filters:
DT-13201 -HEPA filter
DT-13141 Pre-filter bags 2/pk

Dustless



TIGER-VAC® EC12G WET/DRY HEPA VACUUM 12 GAL



PART NO: TV-EC12GHEPA

- For wet and dry recovery
- Filtration efficiency of 99.99% on 0.3 micron
- Tank made of HD epoxy coated metal
- Exhaust silencer for a quieter operation
- Filters:
TV-211027B HEPA Filter 1/ea
TV-2111063 Filter Bags 5/pk



Tiger-Vac®
...The name to vacuum with



ABATEMENT TECHNOLOGIES HAS ACCESS TO THE FULL LINE OF DUSTLESS AND TIGER-VAC PRODUCTS. PLEASE CALL YOUR SALES REPRESENTATIVE FOR MORE DETAILS.



AIR FILTRATION and NEGATIVE AIR MACHINES



AIR FILTRATION AND NEGATIVE AIR MACHINES

PREDATOR®	AIRFLOW	CABINET	WEIGHT LBS (W/ FILTERS)	PEAK POWER DRAW	SPEED CONTROL	POWER ON LAMP	AUDIO ALARM
1. PRED750	200 - 750 CFM	Polymer Housing	35	1.9 AMPS	VARIABLE	✓	N/A
2. PRED1200 / UV	300 - 900 CFM	Polymer Housing	70	3.5 AMPS	VARIABLE	✓	N/A
HEPA-AIRE®							
3. PAS750	200 - 750 CFM	Anodized Aluminum	35	1.9 AMPS	VARIABLE	✓	N/A
4. PAS1200 / UV	300 - 900 CFM	Stainless Steel	85	3.5 AMPS	VARIABLE	✓	N/A
5. PAS1700	1650 CFM	Anodized Aluminum	88	10 AMPS	ON/OFF	✓	N/A
6. PAS2400	700 - 2,100 CFM	Stainless Steel	170	12 AMPS	HIGH/LOW	✓	N/A
7. PAS5000	4000 CFM	Galvanized Steel	395	23 AMPS	ON/OFF	N/A	N/A
8. H1990M	1,050 - 1,600 CFM	Galvanized Steel	125	9 AMPS	HIGH/LOW	N/A	N/A
9. H2KM	1,600 CFM	Galvanized Steel	125	10 AMPS	HIGH/LOW	N/A	N/A
10. H2KMA	1,600 CFM	Galvanized Steel	125	10 AMPS	HIGH/LOW	N/A	✓
BULLDOG®							
11. BD2KM	1,300 - 2,000 CFM	Polymer Housing	117	10 AMPS	HIGH/LOW	N/A	N/A
12. BD2KMA	1,300 - 2,000 CFM	Polymer Housing	117	10 AMPS	HIGH/LOW	N/A	✓

DUCTING AND CLAMPS

	PRED750	PRED1200	PAS750	PAS1200	PAS1700
Lay Flat Outlet Ducting, 500' Roll	H2015-10	H2015-10	H2015-10	H2015-10	H2015-12
Clear Wire-Reinforced Mylar, 25'	H2020-10	H2020-10	H2020-10	H2020-10	H2020-12
Hvy Duty Wire-Reinforced PVC	H2030-10	H2030-10	H2030-10	H2030-10	H2030-12
Flex Duct Attachment Clamp (Intake)	H2350-10	H2350-10	H2350-10	H2350-10	H2350-12
Flex Duct Attachment Clamp (Exhaust)	H2350-10	H2350-10	H2350-10	H2350-10	H2350-12

** PAS5000 Hvy Duty Wire-Reinforced PVC: Intake:H2030-12 (2 ea) and Exhaust H2030-14 (1 ea)



AIR FILTRATION and NEGATIVE AIR MACHINES



INCLUDED WITH THE BASE UNIT

CHANGE FILTER LAMP	DIFFERENTIAL PRESSURE GAUGE	PRE-FILTER	PLEATED FILTER	FINAL STAGE HEPA FILTER	PREMIUM VAPOR-LOCK CARBON	ECONOMY VAPOR-LOCK CARBON
✓	N/A	F621	H502	H161606-99	VL1002	VL602
✓	N/A	F621	H502	H610C-99	VL1002	VL602
✓	N/A	F621	H502	H161606-99	VL1002	VL602
✓	N/A	F621	H502	H610C-99	VL1002	VL602
✓	N/A	F621	H502	H1210C-99	VL1002	N/A
✓	N/A	F1821	H1902	H2418-99	VL2002	N/A
N/A	✓	H2001(2)	H2002(2)	H242406-99(2)	VL2024(2)	N/A
✓	N/A	H1901	H1902	H1910M	N/A	N/A
✓	N/A	H2001	H2002	H242406-99	VL2024	N/A
✓	✓	H2001	H2002	H242406-99	VL2024	N/A
✓	N/A	H2001	H2002	H242406-99	VL2024	N/A
✓	✓	H2001	H2002	H242406-99	VL2024	N/A

PAS2400	PAS5000	B02KM / B02KMA	H1990M	H2KM / H2KMA
H2015-12	N/A	H2015-12	H2015-12	H2015-12
H2020-12	N/A	H2020-12	H2020-12	H2020-12
H2030-12	**H2030-12(2) / H2030-14(1)	H2030-12	H2030-12	H2020-12
H2350-12	H2350-12(2)	H2350-12	H2350-12	H2350-12
H2350-12	H2350-14(1)	H2350-12	H2350-12	H2350-14



DECONTAMINATION SHOWERS

EASY UP™ DECONTAMINATION SHOWER



PART NO: S4000EU

The EASY UP™ S4000EU Decontamination Shower from Abatement Technologies is large enough to fit tall workers yet small and light enough for a worker to hand carry like a suitcase.

- Weighs only 41 pounds
- Compact - 30"L x 30"W x 81"H (Fully extended)
- Fast Set Up
- Easy to Transport & store
- All accessories store neatly inside (Curtains, shower head, mixing valve and collapsible corner poles)

TELESCOPING SHOWER



PART NO: S5000ET

TeleShower is easily transported to the job site and set up in minutes

- Carrying handles
- Reinforced floor is hinged for filter access and cleaning
- Collapsed dimensions: 33.375"L X 29.5"W X 50.625"H
- Door opening: 2.5"W X 72.5"H
- Corrosion-resistant marine alloy aluminum for easy decontamination
- 100 micron filter bag
- Hot and cold water controls with fixed shower head
- Drain fitting for connection to pump unit or building drain

SHOWER PUMP WITH FILTRATION



PART NO: S5300

- First stage filter for particles 25microns or larger
- Second stage filter for particles 5microns or larger
- Power requirements: 110V/60Hz
- Filtration flow of 6 gal (US)/min or 23 L/min
- Weighs 40 lbs/18kg

D-CON DECONTAMINATION SHOWER BLUE GRAYLING 77"



PART NO: S1002002

D-CON™ Decontamination Shower Blue Grayling 77"

- Eliminates the hassle and cost of constructing a temporary decontamination facility on-site
- Reduces labour costs through quick and easy set up
- Can withstand daily rigors of abatement projects without losing structural integrity
- Available in several different configurations

ABATEMENT HAIR & BODY SHAMPOO, 12 BOTTLES PER CASE



PART NO: AS450

- Biodegradable
- PH balanced
- Durable plastic container
- Low sudsing
- Sold in cases of 12 ea. 946 ml. dispenser bottles

DISPOSABLE BATH TOWELS 15" X 30" 2 PLY - 300/CS



PART NO: DC-3400-300

- Economical
- No laundering involved
- Soft and smooth 2-ply material

Ask your Sales Representative about other brands of towels.



MONITORING and DETECTION INSTRUMENTS

SINGLE ROOM PRESSURE MONITOR



PART NO: RPM-RT1
OR RPM-RT2

Abatement Technologies® RPM Series Differential Pressure Monitors provide 24/7 monitoring and recording of differential air pressure relationships between multiple rooms or areas within a healthcare facility.

- User-friendly, menu-driven touch screen
- Password protection feature (can be disabled)
- Visual & audible alarms with audio alarm delay & timed shutoff features
- Single or Dual Room available

PORTABLE DIFFERENTIAL PRESSURE MONITOR



PART NO: PPM3-S

The PPM3-S Portable Room Pressure Monitor from Abatement Technologies® is an essential tool for measuring the real-time pressure differential between two adjacent areas within a facility.

- Easy to use, color touch screen display
- Effective, Differential pressure measurement in ranges of -0.10inWC (-25 Pa) to +0.10inWC (+25 Pa)
- Archived history logs are easily downloaded in CSV format to a USB flash drive



THERMAL IMAGING AND INFRARED CAMERAS



PART NO: MR-77 / FLIR-C5

MOISTURE METERS AND WALL SCANNERS



PART NO: MM-ME5 METER

PARTICLE COUNTERS



EXTECH Instruments Video Particle Counter

- Built-in camera
- Measure up to 6 channels of particle sizes plus Air Temperature and Relative Humidity
- Software generates reports with videos, photos and data points

PART NO: VPC300



AIR SAMPLING



ALLEGRO SAMPLING PCM CASSETTE 25MM/.8U



PART NO: 9804-16

A 25mm cassette with .8µm pore size for asbestos sampling. The high-quality cassette incorporates a 2" cowl and meets stringent quality standards. 50 per box. The cassettes are designed and manufactured to meet all applicable NIOSH/EPA/OSHA Standards. Each cassette is individually assembled, preloaded, flow tested, and marked under stringent quality assurance procedures.

MCE AIR SAMPLING CASSETTE LEAD



PART NO: 9804-14

This 37mm, MCE cassette is .8µm mixed cellulose ester and is specifically designed for lead sampling. 50 per box. The cassettes are designed and manufactured to meet all applicable NIOSH/EPA/OSHA Standards for lead sampling. Each cassette is individually assembled, preloaded, flow tested, and marked under stringent quality assurance procedures.

ALLEGRO MULTI-MOLD M2 CASSETTES



PART NO: 9804-20 (BOX OF 25 CASSETTES / 50 SAMPLES)

9804-21 (BOX OF 5 CASSETTES / 10 SAMPLES)

The M2 is patented, two-sided sampling cassette for easier and more efficient use in the field and in the laboratory. This is the first cassette to provide sampling options to field personnel. Each cassette can be used to:

- Collect two different samples
- Collect two identical samples concurrently
- Collect one sample while using the other side as control

The M2 cassette is also the very first of its kind for laboratory personnel. It provides one-time preparation for two samples, pre-printed traverse marks on the collection side for standardized counting, and side-by-side comparison of samples under the microscope.

TEM AIR SAMPLING CASSETTE



PART NO: 9804-17

This 25mm, .45µm + -5.0µm cassette is designed for asbestos final clearance testing. The cassettes incorporate a 2" static conductive extension cowl and meets all applicable standards. 50 per box.

T101 JARLESS SAMPLING PUMP (ROTARY VANE)



PART NO: 9801 (WITH STAND) & 9801-88 (WITHOUT STAND)

Lightweight and low maintenance, this rotary vane sampler has a sampling range of 0-30 LPM and is an excellent resource for sampling asbestos (25mm cassettes), lead (37mm cassettes) and mould. This sampler is the best value in the market today, meets OSHA and AHERA standards and comes complete with six feet of vinyl tubing, inline filters, rubber feet, for stability, handle and built-in switch. Optional adjustment aluminum stand. Weight 10 lbs.



FINISHING SOLUTIONS

FLOOR and SURFACE PROTECTION

SURFACE PROTECTION MAT FLOOROTEX®



PART NO: P-8650 & P-8651

- Innovative temporary floor protection
- Reusable
- Non-slip
- Breathable
- P-8650 40" x 168" per roll
- P-8651 40" x 84" per roll

CLEAR CARPET MASK, 1 ROLL PER CASE



PART NO: P-CM340CLR

- Easy to apply and remove
- Puncture and tear resistant
- Saves clean up time and expense
- Not for use on hard surface floors
- 24" x 200" per roll

HEAVY-USE PROTECTION FOR FLOOR, COUNTERTOPS & MORE



Abatement Technologies® Floor Protector Roll is the perfect, reusable, non-slip product to protect all of your hard and soft surfaces and counterst. Use this product to keep your tools and other items clean and your floors protected.

- 27" x 20ft per roll

PART NO: P-NEO/6
PART NO: P-NEO/6/BUE


ABATEMENT BRANDED FLOOR PROTECTION



PART NO: ATL-FLOORPRO

- 36" W x 84' L
- *Customize floor protection with your company logo
- *minimum order quantities apply

STICKY MATS



PART NO: SM2436

- Pack of 30 sheets of 24" x 36" blue polyethylene mats (sold in 10 packs)
- Pressure-sensitive adhesive on top of each mat removes contaminants from shoes and wheels
- Peel and toss away top sheet when dirty

STICKY MAT FRAME



PART NO: P-SM377

The sticky mat frame is used to hold sticky mats in place (SM2436). It also protects floors and increases functionality with its mobility so you can move them from room to room with ease.



ADHESIVE TAPES and SPRAY GLUES



NFPA701 RATED

ABATEMENT BRAND TAPES

We carry an extensive array of tapes, including vinyl film, painters, duct and multi-purpose from trusted brands such as Nashua, Echo and Polyken, in addition to our own private label branded tapes. Whatever the specific application, construction, restoration, abatement, maintenance or healthcare, we have the tape you need to get the job done.

Many other types and brands of tapes are available, contact your Sales Representative to inquire.

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DT-VT-2-BL-C	Vinyl Tape Blue 48mm X 55m	24/Case
DT-VT-3-BL-C	Vinyl Tape Blue 72mm X 55m	16/Case
DT-VT-2-WH-C	Vinyl Tape White 48mm X 55m	24/Case
DT-VT-3-WH-C	Vinyl Tape White 72mm X 55m	16/Case
DT-VT-2-OR-C	Vinyl Tape Orange 48mm X 55mm	24/Case

NAME BRAND TAPES

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DT-CPI50-2	Green Painters Tape (2" x 60 yds)	24/Case
DT-140B	NASHUA® Blue Painters Grade Masking Tape 48mm x 55m	24/Case
DT2280-2	NASHUA® Duct tape - 2" 2280	24/Case
DT2280-3	NASHUA® Duct tape - 3" 2280	16/Case
DT-1088329	NASHUA® 2" CleanDrape Double- Sided Abatement Tape	24/Case
DT205-2	Tuck Tape (2" x 72 yds)	20/Case
DTMK-K5463	Blue Painters Tape 2" (48mm x 55m)	24/Case
DTMK-K5463-3	Blue Painters Tape 3" (72mm x 55m)	16/Case

SPRAY GLUE

PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
ATLSPRAY	Maxi Tack High Performance Spray Adhesive 12oz/Can	12/Case
A357	NASHUA® 357 Premium Spray Adhesive	12/Case
AS398	NASHUA® 398 Multi-Purpose Spray Adhesive	12/Case



CONTAINMENT

POLY SHEETING

Available in different thicknesses



PART NO.	PRODUCT DESCRIPTION
DS-8000-M	Clear Polyethylene Sheet (Medium) 10' x 100'
DS-8000-H	Clear Polyethylene Sheet (Heavy) 10' x 100'
DS-8000-XH	Clear Polyethylene Sheet (Extra Heavy) 10' x 100'
DS-5040-00	Clear Polyethylene Sheet CSBG 20' x 100' - 6 mil
DS-8500	Orange Rip Proof Sheet 12' x 100'
DS-8500W	White Rip Proof (Heavy) 12' x 100'
DS-8500FR	White Fire Retardant Rip Proof 10' x 100'

GRILL MASK

GRILL-MASK 8" WIDE



PART NO: K1-GM-8 & K1-GM-13

Grill-Mask 8" & 13" Wide

- 13" X 185' 3 Rolls per case
- 8" X 185' 6 Rolls per case
- The quickest and easiest way to temporarily cover registers and grills
- Masks do not come off if negative pressure is temporarily disrupted

GRILL-MASK DISPENSER




PART NO: K1-GMB-DS-8
& K1-GMB-DS-13

Grill-Mask Dispenser

- Convenient dispenser can be worn around your neck or waist
- Dispenser available for both 8" and 13" Grill Mask rolls.


POLY HANGERS



PART NO: PHC102



PART NO: PH3



PART NO: PH4

Support poly sheeting from the ceiling grid with these various styles of hangers.

QUICK-TO-DEPLOY CONTAINMENT SOLUTIONS

The SHIELD WALL™ is a modular wall system designed to contain airborne contaminants while performing construction or renovation work.

The wall system can also be used as a patient isolation area or clean room to prevent airborne contaminants from entering.

When used properly in conjunction with an Abatement Technologies Differential Pressure Monitor and a Portable Air Scrubber, the SHIELD WALL™ maintains negative or positive pressure differentials.

Additionally, the SHIELD WALL™ can be used to build an anteroom to allow passage between rooms while maintaining negative pressure differentials.

 MADE IN CANADA



WHAT IS SHIELD WALL™ IDEAL FOR?

Compared to the time required to cut and install drywall, the SHIELD WALL™ is erected quickly and can adapt to multiple configurations and is available in three different materials to meet specific requirements.

CORE, CLASSIC & CLEAR SHIELD WALL™ are innovations in containment and are becoming the standard, as contractors are able to reduce labour and startup times through easy to connect panels, closed cell foam gaskets, and self-levelling floor sills.

Ideal for creating a temporary barrier around a construction or renovation area, all SHIELD WALL™ materials can be re-used eliminating waste and future containment costs.



FAST SET UP



ADAPTABLE



ATTRACTIVE CONTAINMENT



EASY DECON



REUSABLE



SECURE

EXCEEDS



UP TO ICRA CLASS V



ALL ABOUT PANELS

- ✓ All SHIELD WALL™ components (CORE, CLASSIC & CLEAR) are interchangeable and compatible without the need for any special adaptors.
- ✓ The innovative drop-in connector hardware *combined* with our unique leveling plates allows for up to one inch of play that helps your containment to stay sealed in uneven environments.
- ✓ The SHIELD WALL™ system will get you started with **less labour, less time, and virtually no dust.**
- ✓ All SHIELD WALL™ components are **reusable** and don't create waste, compounding material **savings over time.**
- ✓ With smooth surfaces that are resistant to in-depth hospital cleaning practices it is **easy to decontaminate** before, during, and after construction.
- ✓ SHIELD WALL™ panels and doors give any site a **clean professional, high-end image** and are secure with locking doors and exhaust ports.

SHIELD WALL panels come in 5 widths (12", 18", 24", 36" & 48") and are height adjustable from 7' to 10' 3".

3' extension panels are also available for purchase increasing the maximum height up to 13' 3".

A built-in, 24" wide exhaust port panel is available in all 3 material options, featuring a lockable security plate.

Exhaust port adaptor plates with 3 sizes of ducting collars (8", 10" and 12" dia.) may be purchased individually.

ASK US ABOUT
RENTAL OPTIONS!



SUPERIOR
SOUND
ATTENUATION



SOLUTIONS FOR
CONSTRUCTION
OR
PATIENT
ISOLATION



REUSABLE

CORE MATERIAL

ATTRACTIVE WHITE
ALUMINUM EXTERIOR
DURABLE GALVANIZED
STEEL INTERIOR
CLOSED-CELL
FOAM CORE

CORE

CLASSIC MATERIAL

TRANSLUCENT
POLYCARBONATE
PANES
ANODIZED ALUMINUM
FRAME
LIGHTWEIGHT YET
DURABLE

CLASSIC

CLEAR MATERIAL

TRANSPARENT
POLYCARBONATE
PANES
WHERE VISIBILITY
IS A MUST
CUSTOMIZE YOUR
PANELS FOR
SIDELIGHTS

CLEAR

ALL ABOUT DOORS

SHIELD WALL™ CORE, CLASSIC & CLEAR doors are available in multiple widths and three styles are offered: hinged, sliding, or double-hinged. All doors include an adjustable threshold and sweep. Also included are filler panels for over-the-door, allowing for flexible height adjustment to different ceiling heights up to 10' 3".

SLIDING DOORS

An excellent option where space is limited.

Slides open to the left (from the outside) and requires a minimum 3' (42" door) or 4' panel (54" door) installed to the left.

Available in two widths: 42" wide set in a 48" panel or 54" wide set in a 60" panel, both are height adjustable up to 10' 3" with the included over-the-door kit.

Features a gravity driven self closing mechanism and a magnet stop that may be removed.



UNIVERSAL DOORS

Swing in or out, and can be hung left or right.

The 32" wide door is pre-hung in a 36" panel and the 44" wide door is set in a 48" panel.

Both doors are adjustable up to 10' 3" with the included over-the-door kit and door closer.

An electronic digital keypad may be purchased separately for hinged doors.



DOUBLE-HINGED DOORS

Double hinged doors are 68" wide and set in a 72" frame.


The double door assembly is 84" high but adjustable up to 10' 3" with the included over-the-door kit.

The primary door with door handle cut out is 44" wide and the secondary door is 24" wide.

The primary door latches into the secondary door via the latch bolt.

The secondary door is secured at the top and bottom with spring loaded pins.

Both doors can be hung to swing in or out.



SHIELD WALL™ CORNERS

The flexible hinged universal corner will change the wall path 90° (inward) and 270° (outward). When used as an inside corner it changes the path inwards towards the containment area and decreases the containment area. When used as an outside corner it changes the path outwards away from the containment area and increases the containment area. Hinged corners will add an additional 1" of length to one wall and 3" of length to the other.

The fixed inside corner changes the wall path 90°.

T-Connections create an intersection in a wall allowing you to T-off that wall 90° with another panel either outward or inward.

All Corners and T-Connections are height adjustable from 7' to 10' 3". 3' corner extensions are available for all of the four types above.



WALL SEALS & ADAPTORS

CORE, CLASSIC & CLEAR

Wall seals can be used to create a small extension to fill gaps between an existing wall and the SHIELD WALL™.

The drywall adaptor can be used to attach a section of drywall to the panel system to accommodate non-plumb walls or other protrusions such as handrails, pipes and large molding.

Fixed wall seals abut against walls with obstructions 0.5" or less such as thin molding.

The wall seal extension kit has both a left and right side extension that can extend up to 3.25", 9" in total width.

We also manufacture an adaptor kit that includes a left and right adaptor to connect to other system panels.



HARDWARE, ACCESSORIES & CONNECTORS

Our new drop-in connection system has reduced the amount of hardware needed and has made installation quick and easy.

The transport cart fits through standard doors and has four swivel wheels for easy handling. Panels are secured to the cart with ratchet straps. The maximum load is 670 lbs of any combination of panels and doors. Great for storage between projects. (The transport cart must be assembled).

A window kit can be installed on a CLASSIC panel or door before or after the wall is built. It can be installed on any 2', 3' or 4' panel or door in the upper panel area.

Two kits are available:

- 16.5" x 22.5" window in a 20.5" x 26.5" frame
- 22" x 28" window set in a 26" x 32.5" frame.

Pre-installed exhaust port frames are available for any 2' CLASSIC, CLEAR or CORE panel that includes a blank security plate. Drop in exhaust plates are available with 8", 10" and 12" collars (purchased separately).

An exhaust frame kit can be purchased separately along with the drop in exhaust plate with the desired size of port collar. This kit is easy to install (for CLASSIC and CLEAR materials only).



3 EXCEPTIONAL MOBILE CONTAINMENT CARTS

FOR CSA, CDC AND ICRA COMPLIANCE

Portable containment carts for easy, safe access, above ceilings.



INCLUDED EQUIPMENT:
AG3000, Caddy Cart, Portable Air Scrubber, HEPA Vacuum, & Filters



INCLUDED EQUIPMENT:
AG5000, Caddy Cart, Portable Air Scrubber, Filters, 2 Clamps, & 2' Flex Duct (10" dia.)



INCLUDED EQUIPMENT:
AG8000, Ladder, Portable Air Scrubber, Room Pressure Monitor

MOBILE CONTAINMENT CART SALES KIT

MOBILE CONTAINMENT CART	AG3000	AG5000	AG8000
DESCRIPTION	IC750MOBVC	IC750MOBAG5K	AG8000PAS-RPM
PORTABLE AIR SCRUBBER	PRED750	PRED750	PAS750
ROOM PRESSURE MONITOR	Optional	Optional	RPM-RT1
HEPA VACUUM	V8000WD	Optional	Optional
CADDY CART	AGCADDY	AGCADDY	Optional
LADDER	8' A-Frame (not included)	8' A-Frame (not included)	16', 3-Section fiberglass extension included
1st & 2nd STAGE SCRUBBER FILTERS	F621 1 CS H502 1 CS	F621 1 CS H502 1 CS	Optional
MAXIMUM WORKING CEILING HEIGHT	10'	10'	10'
FOOTPRINT DIMENSIONS	30" x 60"	32" X 66.5"	32" X 62"
COLLAPSED HEIGHT ON CART	72.5"	20"	77.5"
FIRE RATED UPPER FABRIC ENCLOSURE	ASTM-E84/NFPA701	ASTM-E84/NFPA701	ASTM-E84/NFPA701
ASSEMBLY	One person assembly & deployment	Two person assembly, one person deployment	No assembly required, quick deployment
TOP CLOSURES & SEALS FOR FULL PARTICLE CONTAINMENT	YES	YES	YES
KEY BENEFITS	Effective & budget friendly for negative pressure operation Fast and easy wall and ceiling access	Collapsible; compact storage & transport Ceiling and *wall access all-in-one mobile unit (*optional adapter required)	The most robust option, rugged and durable Ladder support at the ceiling provides a safer worker environment Optional side access panel available



The Esteam CSA-US approved NINJA CLASSIC™ Portable Extractors *offer convenience and reliability like no other.*

Rely on the world's most popular extractors to save you **TIME & MONEY!**



ABATEMENT
TECHNOLOGIES®
AUTHORIZED DISTRIBUTOR

THE NINJA CLASSIC CARPET CLEANING EXTRACTOR 200 PSI

- 150, 200 or 500 PSI Pump
- 10 Gallon Solution & Recovery Tank
- Dual 2, Dual 3 or Single 3 Stage Vacuum
- Optional Accessory packages include a 25' VAC HOSE, 25' SOLUTIONS HOSE and a 2 JET WAND - [PN: ACCNINJA200]



PART NO: NJA200

FLOOD MASTER CONTINUOUS PUMPING UNIT 150 PSI

- 150 - 200 PSI Pump
- Dual 2 Stage Vacuum
- 10 Gallon Solution Tank
- 10 Gallon Recovery Tank
- Discharge Pump 65 GPM
- Optional Accessory packages include a 25' VAC HOSE, 25' SOLUTIONS HOSE, a 2 JET WAND & a SQUEEGIE WAND - [PN: ACCFLOMSTR150]



PART NO: FM150



MAGNETIC CLOSURES AND DISPOSAL BAGS

ZIPPERS AND MAGNETIC CLOSURES

Durable self-adhesive zippers and magnetic closures attach to plastic sheeting to create an entry.



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
HCHDAZ-2	General Purpose Adhesive Back ZIPWALL® Zippers	2/PK
HCHDAZ-12	Heavy Duty Zippers	12/Case
HCMDK	ZIPWALL® Magnetic Dust Barrier Door Kit	1/EA
REUZIPSTRIPS	Mounting Strips for RE-U-ZIP® Zippers and +Magnetic® Entries	1/EA
MAGSTARTKIT	RE-U-ZIP® Magnetic Self Closing Entry Starter Kit	1/EA
REUZIPMAGDRKT	RE-U-ZIP® Magnetic Self Closing Entry Door Kit 5' x 9'	1/EA
REUZIPMAGDRKTLG	RE-U-ZIP® Magnetic Self Closing Entry Door Kit 7' x 12'	1/EA

DISPOSAL BAGS

Yellow Bags Labelled for Asbestos Disposal

We have several options in thickness (Regular, Economy and Heavy Duty) and colour. Our 26" x 40" disposable bags are available in Clear and Yellow. The yellow are printed for Asbestos Disposal and are bilingual.



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-2640Y	Yellow Polyethylene Bags 26" x 40" -Regular Grade, Printed for Asbestos Disposal	100/Roll
DB-2640YE	Yellow Polyethylene Bags 26" x 40" -Economy Grade, Printed for Asbestos Disposal	100/Roll
DB-2640YH	Yellow Polyethylene Bags 26" x 40" -Heavy Duty Grade, Printed for Asbestos Disposal	100/Roll

GARBAGE BAGS

By the roll or by the case, garbage bags are available in 3 sizes and 2 colours



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-2640C	Clear Bags 26" x 40"	100/Roll
DB-2640CE	Clear Bags 3 mil 26" x 40"	100/Roll
DB-3350C	Clear Bags 3 mil 33" x 50"	100/Roll
DB-3550C	Clear Bags 35" x 50"	50/Case
DB-3550B	Black Garbage Bags 35" x 50"	50/Case
DB-3560C	Clear Bags 35" x 60"	50/Roll
DB-3560CE	Clear Bags 3mil 35" x 60"	50/Roll
SB2544	Poly Feed Bag 25x44 50 LB capacity	1/EA
BB-VN-045	Bulk Bag 35"x35"x48" CM W/ 3 Mil Liner	100/Pallet
DB-4444-120	Bulk 44" x 40' x 120"	1,100/Pallet



DISPOSAL GLOVE BAGS

Avail® glovebags enjoy the industry reputation of being the highest performing, easiest to use and safest method to remove asbestos insulation from pipe.

AVAIL® glovebags deliver the highest performance due to design features that save labor while increasing safety.

MODEL	QT10	QT14	QT18	QT30
ITEM #	01610206	01614156	016182106	01630356
WORK AREA	42" TO 90'	48" TO 75'	54" TO 55'	60' TO 30'
PIPE DIAMETER	UP TO 10"	10" TO 14"	14" TO 18"	18" TO 30"
QUANTITY/CASE	20	15	10	5
GLOVE ASSEMBLIES	1 SET/BAG	1 SET/BAG	2 SETS/BAG	3 SETS/BAG
PIPE CONFIG.	HORIZONTAL	HORIZONTAL	HORIZONTAL	HORIZONTAL
MIL THICKNESS	6 MIL	6 MIL	6 MIL	6 MIL



SINGLE GLOVEBAG



EXTENDED-RUN GLOVEBAG




VERTICAL GLOVEBAG



QUICKTWIST GLOVEBAG

MODEL	ITEM #	QTY	BAG DIMS	PIPE DIA	GLOVE ASSY	BAG CONFIG
72120-2	0127212026	10	72" x 120" x 6m	18" TO 30"	2 SETS/BAG	HOR
V10	0131016	20	60" x 84" x 6m	UP TO 10"	1 SET/BAG	VERT
V24	0132426	15	84" x 96" x 6m	10" TO 24"	2 SETS/BAG	VERT
GSV12	0131256	5	96" x 180" x 6m	UP TO 12"	6 SETS/BAG	VERT
GSH620	0176208310	1	240" x 156" x 9m	UP TO 30"	8 SETS/BAG	HOR
GSH1220	017122014410	1	240" x 228" x 9m	UP TO 72"	12 SETS/BAG	HOR

GLOVE BAGS



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
DB-4460-08	8" Horizontal Glove Bags	25/Roll
DB-5460-10	10" Horizontal Glove Bags	20/Roll
DB-5460-14	14" Horizontal Glove Bags	20/Roll



ACCESSORIES

SIGNS

Clearly notify of asbestos, lead, and PPE requirements in your construction zone with signs and caution tape.



PART NO.	PRODUCT DESCRIPTION	STANDARD CASE PACKAGING
SS201	Mould Sign	1 EA
SS202	Asbestos sign	1 EA
SS203	Lead sign	1 EA
SS204	Caution hard hats	1 EA
SS-MDT29CTP	Danger Tags – Do Not Use	25/PK
DTCT3YE16	Tape - caution asbestos hazard	12 Rolls/Case
PH-055368610552	Danger Due To	1 EA

MOULD COATINGS and DISINFECTANTS

Abatement Technologies® Branded Chemical Products

We have worked with many suppliers to create our own exclusive versions of standard Restoration and Asbestos Abatement products. We specify everything about our own private label products – what goes in it, how it's packaged and what the label looks like. Our many years of experience with contractors has allowed us to create our own lines of industry-leading chemicals, such as lockdown encapsulants, degreasers and soy mastic removers that rival leading name brands for performance and quality. By creating our own Abatement Technologies® branded products we can pass on substantial savings to our customers. Speak with one of our highly trained representatives who can assist you in making the best product selections customized to the needs of your project.



ABATEMENT TECHNOLOGIES® BRAND

PART NO.	PRODUCT DESCRIPTION
ATL100	Clear Lockdown Encapsulant Abatement Technologies® 5 GAL/PL
ATL150	Low Tack Lockdown Encapsulant Abatement Technologies® 5 GAL/PL
ATL200	No Odor Mastic Remover Abatement Technologies® 5 GAL/PL
ATL300	Soybean Degreaser & Mastic Remover Abatement Technologies® 5 GAL/PL
ATL850	Smoke & Odor Sealer (Clear), Abatement Technologies® 5 GAL/PL
ATL500	Carpet Adhesive Remover, Abatement Technologies® 5 GAL/PL

PART NO.	PRODUCT DESCRIPTION
AS-M15G	Blue Bear® Mastic Remover BEAN-E-DOO® 5 GAL/PL
FC-EMERGE	Emerge™ Concentrated Degreaser - 2.5 GAL DF2GWD



MOULD COATINGS and DISINFECTANTS



PART NO.	PRODUCT DESCRIPTION
AS300	Concrobium® Mould Control
AS305	Concrobium® Mould Stain Remover for Contractors
AS330	Concrobium® Pro Disinfectant and Cleaner

These innovative high-performance solutions are engineered for pros. We stock Concrobium® Mould Stain Remover, Mould Control, and Disinfectant and Cleaner products.

PART NO.	PRODUCT DESCRIPTION
BF50476	Benefect® Decon 30 Botanical Disinfectant-4 L Jug
BF30475	Benefect® Multi-Purpose Cleaner - 3.78 L Jug
BF50376	Benefect® Botanical Disinfectant Wipes - 250 Wipes per PK
BF50475	Benefect® Botanical Disinfectant - 4 L Jug
BF40475	Benefect® Quantum Chemical Residue Remover - 4 L Jug
BF80475	Benefect® Atomic Fire and Soot Degreaser

World recognized, Benefect® products are botanical anti-microbial technology. Ready-to-use with no mixing required, this popular brand ensures the product's proper germ killing ability on every job.

PART NO.	PRODUCT DESCRIPTION
AS520-4	Rochester Midland Enviro Care Non Fragrance Disinfectant 3.8L Jug
AS585-4	Rochester Midland PRS Water Damage PreClean 3.8L Jug
AS580-4	Rochester Midland PRS Water Damage PostClean 3.8L Jug
AS560-4	Rochester Midland PRS Fuel Oil Cleaner 3.8L Jug
AS570-4	Rochester Midland PRS Odor Control 3.8L Jug
AS555-4	Rochester Midland PRS Fire & Content Cleaner 3.8L Jug

Harness the power of live bacteria to travel to normally unreachable areas for cleaning, to break down soils into water and carbon dioxide, and to provide safer products for your workers and clients with the full line of Rochester Midland's Professional Restoration Series of cleaners.

PART NO.	PRODUCT DESCRIPTION
AS-MMR	MMR Mould Stain Remover 3.8L Jug

Bad Axe has a complete arsenal of Restoration Products including MMR Mould Stain Remover, which has quickly become the industry's "go-to-product" for mould related projects. It is a fast and easy application that eradicates mould stains on contact.



FOGGERS and SPRAYERS

ELECTRICAL THERMAL FOGGER



- The industry's most durable electric thermal fogger
- Converts 1 oz of Thermo55® into a 2,000 cubic foot deodorizing cloud in 30 seconds
- Can be used as an electrical sprayer
- Solvent-based products recommended

PART NO: FS-UM0604

DELUXE SPRAYER



- 2-Gallon funnel-top, translucent tank for easy filling and cleaning with pressure relief valve
- Features unique SureSpray™ Anti-Clog Filter for clog-free spraying
- Includes reinforced hose, curved brass wand, and adjustable poly nozzle
- Ergonomic handle, on-board spray shield and measuring cup for accurate chemical mixing

PART NO: SP26020

48 OZ INDUSTRIAL VITON SPRAY



- 48 oz translucent poly bottle
- Compatible with most industrial chemicals
- Adjustable cone nozzle and shut-off

PART NO: SP1046

2 GAL SPRAYER



- 2 GAL funnel-top, translucent tank for easy filling and cleaning
- Includes a 12" wand, 34" reinforced hose, adjustable nozzle and comfortable spray handle

PART NO: SP20020

ELECTRIC FOAM UNIT FOR PRE-MIX PRODUCTS



- Powered by 120 VAC Electricity
- On-board 1.5 hp air compressor
- 25ft. (7.6 m) coiled twin-line tubing-Optional extension to 100 ft. (30.4 m)
- 65" fan tip for increased coverage
- Compact size for portability
- Santoprene, Viton, or Kalrez pump seals for chemical compatibility

PART NO: SP-FI-JR

FOAM UNIT 5 GAL PUMP UP WHITE TANK, 1/CASE




- Compact unit with manual pump
- Maximum portability for small jobs and spot cleaning
- Comfortable grip handle with trigger for quick on/off control
- Ability to switch between short and long wand assembly

PART NO: FI-5L



PERSONAL PROTECTIVE EQUIPMENT

Abatement Technologies® offers a full range of Personal Protective Equipment from brands you trust.



HEAD PROTECTION



HEARING PROTECTION



EYE PROTECTION



BODY PROTECTION



HAND PROTECTION



FOOT PROTECTION





RESPIRATORY PROTECTION



NORTH® HALF MASKS AND FULL FACEPIECE MASKS

PART NO.	PRODUCT DESCRIPTION
NR-5400	North® Low Maintenance Full Facepiece
NR-7600	North® 7600 Series Silicone Full Facepiece
NR-7700	North® 7700 Series Silicone Half Mask, S,M,L
NR-65001	North® Full Facepiece with 5-Pt Head Strap, S,M,L
NR-PR501	Survivair® PR501 Powered Air Purifying Respirator



NORTH® CARTRIDGES AND FILTERS

PART NO.	PRODUCT DESCRIPTION
NF7581P100	North® Organic Vapor and P100 Cartridge/Filter Combination, 12/CS
NFN75001	North® Organic Vapor Cartridge
NFP100	All Particulate Filter - 72PR/CS
NFSCP100	North® Defender Multi P100 - 12/CS
SR108044	Survivair® PAPR Filter, 84 /CS
NF75SC	North® Defender Organic Vapour Filter Cartridge 18PRS /CASE



ACCESSORIES

PART NO.	PRODUCT DESCRIPTION
SR-770017	Inhalation Valve - (for North® 7700 Series Respirator), 6/PK
NR-80836A	North® Full Face Peel Off Window, 15/PK
SR-702028	Survivair® PAPR Lens Cover, 25/PK
SR702019	Tinted Lens Covers for Opti-Fit Full Face Masks, 25/PK

FIT Testing Information

A worker should be FIT tested to their respirator mask to make sure there are no seal leaks and to ensure a proper fit. Abatement Technologies offers this service along with other equipment inspection and certification services.



RESPIRATORY PROTECTION



3M™ HALF FACEPIECE & FULL FACEPIECE REUSABLE RESPIRATOR 6000 AND 7500 SERIES



PART NO.	PRODUCT DESCRIPTION
3M-6100	Half Facepiece, Small, 1/Box
3M-6200	Half Facepiece, Medium, 1/Box
3M-6300	Half Facepiece, Large, 1/Box
3M-6800	Full Face Mask, Medium, 1/Box
3M-6800PF	Powerflow Face-Mounted Powered Air Purifying Respirator, Medium, 1/Box
3M-6900	Full Face Mask, Large, 1/Box
3M-6900PF	Powerflow Face-Mounted Powered Air Purifying Respirator, Large, 1/Box
3M-7501	Half Facepiece, Small, 1/Box
3M-7502	Half Facepiece, Medium, 1/Box
3M-7503	Half Facepiece, Large, 1/Box
3M-6502QL	Quick Latch Half Facepiece Reusable Respirator 6500, 1/Box

3M™ FILTERING PARTICULATE DISPOSABLE RESPIRATORS



PART NO.	PRODUCT DESCRIPTION
3M-8293	3M™ Particulate Respirator 8293, P100, 20/Box
3M-8210	3M™ Particulate Respirator, 8210+, N95, 20/Box
3M-8511	3M™ Particulate Respirator, 8511, N95, 10/Box

3M™ CARTRIDGES AND FILTERS



PART NO.	PRODUCT DESCRIPTION
3M-2091	P100 Particulate Pancake Filters - 50 PR/CS
3M-6001	Organic Vapour Cartridge, 30 PR/CS
3M-6002	Acid Gas Cartridge, 30 PR/CS
3M-6003	3M™ Organic Vapor / Acid Gas Filters
3M-60921	Organic Vapour Cartridge/Filter, 30 PR/CS
3M-60923	Organic Vapour/Acid Gas Cartridge/Filter, 30 PR/CS
3M-60926	3M™ Multi Contaminant/P100 Cartridge Combo
3M-7093B	Particulate Filter 3M P100 2/PK - 72 PK/CS
3M-7093CB	Hydrogen Chloride Cartridge/Filter, P100 Respiratory Protection, 2/PK
3M-SP3	Powerflow High-Efficiency SP3 Particulate Filter, 450-01-01R20, 20/Box



SUPPLIED AIR

COMP-3EA™ AUTO-AIR™ BREATHING AIR COMPRESSOR SYSTEM (AIR SYSTEMS INTERNATIONAL)



PART NO: BB330-COAA & CGA-347 & TA-3EA

This compressor system is designed to provide automatic back-up air for up to 3 workers in the event of compressor failure. The COMP-3EA™ Compressor System includes an Auto-Air™ Breather Box®, model BB30-COAA, the TA-3EA compressor supplied with a CGA-347 high pressure reducing regulator, and primary / secondary hoses. An optional 60 or 87 cf cylinder can be installed on the compressor frame to provide additional egress air. The COMP-3EA™ system is designed for pressure demand respirators only.

COMP-3EA™ COMPRESSOR & COMPONENTS

PART NO.	PRODUCT DESCRIPTION
COMP-3EA	TA-3EA compressor, 1/2" x 10' hose, 3/8" x 10' hose, high pressure regulator, and BB30-COAA Breather Box® with 3 respirator fittings (specify Hansen or Schrader)
TA-3EA	TA-3 Twin-Air™ Compressor with adjustable high pressure (5000 psi) regulator for attachment to a CGA-346 or CGA-347 cylinder and cylinder strap
BB30-FK	Replacement filter kit for BB30-COAA Breather Box

RESERVE AIR CYLINDERS

PART NO.	PRODUCT DESCRIPTION
AC-60	60 cf CGA-346, 2216 psi, aluminum, DOT/TC/ISO/UN
AC-87	87 cf CGA-347, 4500 psi, fully wrapped carbon fiber, DOT/TC approved

* Do not use with constant flow respirators or vortex cooling tubes.

ACCESSORIES

Panther™ Full Face Mask w/ P100 Particulate Filters



PART NO: SRP96B437

- Pressure demand, full-facepiece, mask, mounted regulator
- When the air supply is interrupted the SAR/ P100 user can disconnect from the airline and exit the area
- During egress, the P100 filters provide respiratory protection from the particulate laden atmosphere

Replacement Air Hoses



PART NO: SR930B04 & SR930B64

- Available in 1/2" and 3/8" ID
- Lengths: 25', 50' and 100'
- Specify coupler types

WE HAVE POISCHEK3 TESTERS AND WE SERVICE, REPAIR AND RE-CERTIFY REGULATORS.



FALL ARREST

TRUSTED BRANDS:

Honeywell

MILLER®

PIP

3M

HARNESSES



LANYARDS



COMPLETE KITS



SELF-RETRACTING LIFELINES



SLINGS



TRIPODS



Abatement also offers a full array of Fall Protection Equipment Inspection Services

Keeping your equipment up-to-date and safe to use is not only important for compliance but to ensure preventable injuries don't happen. We know this is important and we are continually expanding the testing and inspection services we offer. Helping keep you and your crew safe, secure and In-Spec. Trust our professionals to make sure your equipment is up-to-date and working properly with these In-Spec services:

- Harness inspection/certification
- Lanyard inspection/certification
- Sling adapter inspection/certification
- SRL/SRD inspection/certification

These services can be performed on-site or at any of our locations across Canada.





SPECIALTY and HAND TOOLS

DUSTLESS TECHNOLOGIES SHROUDS

Dustless Tools offers a series of shrouds for point-of-origin dust control of universal hand tools, such as drills, hand grinders, disc sanders, and reciprocating saws. With adapters to fit most leading brand hand tools, their dust shrouds have vacuum attachments to provide a clean, safe, dust-free work environment that contributes to improved worker health.



Dustless

ABATEMENT
TECHNOLOGIES
AUTHORIZED DISTRIBUTOR

PART NO.	PRODUCT DESCRIPTION
DT-D1900	BitBuddie® 1 3/8" Drilling Shroud, 1/CS
DT-D1905	BitBuddie® 4" Drilling Shroud, 1/CS
DT-D1908	BitBuddie® 8" Drilling Shroud, 1/CS
DT-D1835	DustBuddie® 5" Grinding Shroud, 1/CS
DT-D1730	Dustless 5" CutBuddie® Shroud w/18" Hose, 1/CS
DT-1750	Dustless 7" CutBuddie® Shroud w/18" Hose, 1/CS
DT-1835	Dustless 5" DustBuddie® Grinding Shroud w/18' Hose, 1/CS

HAND TOOLS



PART NO.	PRODUCT DESCRIPTION
DT-BT-120	Small Utility Knife, 100/Box
DT-BTH-80	Large Utility Knife, 50/Box
DT-HOOK	Hook Knife, 10/Box
DT-BBS-3	Bent Chisel Scraper, 3" 5/Box
DT-222-12	4 Row Wire Brush, 12/Box

BROOMS & MOPS



PART NO.	PRODUCT DESCRIPTION
DT-WHISK	Whisk Broom, 12/PK
FMS-24	Mop Head 24 oz, Narrow Band 1.5", 1/CS



LIGHTING and ELECTRICAL


LIGHTING

Bright, durable, and virtually indestructible; Wobble Light® is a self-righting, highly durable work light that takes a severe beating from workers, vehicles, debris, and drops with no bulb breakage.



PART NO.	PRODUCT DESCRIPTION
WL-36175	Wobblelight - 36" 175W Metal Halide Work Light
WL-36400	Wobblelight - 36" 400W Metal Halide Work Light
WL-2785	Wobblelight, Wobblelight - 27" 85W Fluorescent Work Light

Designed for use on job sites where temporary lighting is needed for illumination. These 12/3 Light Strings are heavy-duty, making them ideal for construction and job sites, fairs, and other special events. Suitable for use with A19 LED, CFL, or incandescent (150W max) light bulbs.



PART NO.	PRODUCT DESCRIPTION
EC-D11912100	Light Strings , 100'
EC-D11912050	Light Strings , 50'

EXTENSION CORDS

Locking cords simply prevent extension cords from being accidentally disconnected resulting in a loss of power.



Part No: EC500830 - EXTENSION CORD 50 FT 12/3 YELLOW SINGLE TAP CUSTOM PRINTED
Customize this extension cord with your company logo - \$300 minimum order

PART NO.	PRODUCT DESCRIPTION
H2092-25TL	Turn & Lock power cord, #12/3 AWG Yellow, 25' LG

GMS POWER BOX

The GMS Power Box is an easy source of electricity for a contractor's equipment. Designed by an electrician, it is small, compact and lightweight. All 20 Amp outlets are GFCI equipped and the enclosure is insulated (NOT METAL) to protect against personal electric shock. All power boxes come standard with the correct 30 Amp overcurrent protection.



PART NO.	PRODUCT DESCRIPTION
G30-B01-C	Power Distribution Kit, Blue, 30A (4 Wire New Dryer, 4 Wire New Range, 25' cord & black carry bag



DUCT-PRO[®] EQUIPMENT FOR PROFESSIONALS

DUCT CLEANING

Breaking down the barriers to entry. Source removal Duct Cleaning is an effective alternative to expensive duct cleaning trucks. Originated by Abatement Technologies in the 1980's source removal duct cleaning allows a contractor to easily enter or scale-up in duct cleaning. At a fraction of the cost, our source removal duct cleaning packages allow restoration contractors to easily expand their capabilities without the risk of large financial commitment

To make sure you can select the right package for your needs we have developed a 3 Step Process to customize everything from the vacuum to the compressor, agitation devices, and accessories. This gives you the ultimate flexibility while still taking advantage of package savings. It's as easy as 123.

1 PICK YOUR VACUUM



You pick a Portable Power Vacuum from our selection of models that range from a basic economy entry-level vacuum up to our most powerful high-performance unit. Source removal is versatile. You are able to clean residential and commercial properties because you can take the vacuum to the duct instead of running long lengths of hose from a vehicle. You get the same static suction in the basement, in the attic, or on the 50th floor.

2 PICK YOUR AIR COMPRESSOR PACKAGE



Your choice of compressor will be determined by the air power needed to drive the compressed air tools that loosen dirt and debris from inside the ductwork systems.



3 PICK YOUR TOOLS AND ACCESSORIES



We stock our own branded lines of power rotary brush and power whip agitation systems to remove and clean inside ducts. Additionally, we offer a complete line of duct cleaning essentials such as grill mask, hole cutters, caps, plugs, screws and chemicals for your professional duct cleaning enterprise.

PICK YOUR PACKAGE

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

1. PICK YOUR METHOD

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

2. PICK YOUR AIR COMPRESSOR PACKAGE

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

3. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

4. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

5. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

6. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

7. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

8. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

9. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

10. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

11. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

12. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

13. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

14. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

15. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

16. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

17. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

18. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

19. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

20. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

21. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

22. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

23. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

24. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

25. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

26. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

27. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

28. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

29. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

30. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

31. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

32. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

33. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

34. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

35. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

36. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

37. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

38. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

39. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

40. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

41. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

42. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

43. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

44. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

45. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

46. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

47. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

48. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

49. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

50. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

51. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

52. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

53. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

54. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

55. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

56. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

57. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

58. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

59. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

60. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

61. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

62. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

63. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

64. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

65. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

66. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

67. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

68. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

69. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

70. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

71. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

72. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

73. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

74. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

75. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

76. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

77. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

78. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

79. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

80. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

81. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

82. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

83. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

84. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

85. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

86. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

87. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

88. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

89. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

90. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

91. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

92. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

93. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

94. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

95. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

96. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

97. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

98. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

99. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

100. PICK YOUR TOOLS AND ACCESSORIES

☐ AIRBORNE ☐ INDUSTRIAL ☐ CYC

PACKAGE ORDER LIST



EXAMPLE PACKAGE

Our knowledgeable sales team is available to help you pick the right products and to assemble a custom package for your business's needs.

Contact our Duct Cleaning Specialists with all of your questions today and don't forget to ask about how we can put you in touch with equipment financing through one of our Leasing Partners!




For more than 30 years
companies around
the world have
relied on Abatement
Technologies for HEPA
filtration systems
and other indoor
air quality products
with industry-leading
quality, performance
and reliability.



Our experienced and professional staff are
dedicated to providing exceptional customer
service and technical support.

Knowledgeable sales representatives can help
you select the right equipment for your
specific application.



MAIN OFFICES

ABATEMENT TECHNOLOGIES CA

1481 Harber Court
Fort Erie, ON L2A 0G3
CAN. 800-827-6443
Intl. +01-905-871-4720
iaqinfo@abatement.ca

ABATEMENT TECHNOLOGIES US

605 Satellite Blvd. Suite 300
Suwanee, GA 30024
US 800-634-9091
Intl. +01-678-889-4200
iaqinfo@abatement.com

SATELLITE OFFICES

VANCOUVER

F102-19720-94A Avenue,
Langley, BC V1M 3B7
778-372-2611

HAMILTON

428 Millen Rd. Unit 10
Stoney Creek, ON L8E 3N9
905-664-6075

ST. JOHN'S

5 Maverick Place
Paradise, NL A1L 1Y8
709-800-9020

OTTAWA

51 Capital Drive
Ottawa, ON K2G 0E7
613-749-9667

DARTMOUTH

121 Ilsley Ave Unit 12
Dartmouth, NS B3B 1J1
902-334-0900

MONCTON

1070 St. George Blvd Unit 100
Moncton NB E1E 4K7
506-406-5999

EDMONTON

16403 - 117 Ave. NW
Edmonton, AB T5M 3V3
780-665-5165

TORONTO

625 Rowntree Dairy Road Unit 1
Vaughan, ON L4L 5T9
905-266-1322

MONTREAL

1950 Bernard Lefebvre
Laval, QC H7C 0A5
514-375-0606

CALGARY

F-7004 5th St. SE
Calgary, AB T2H 2G3
403-351-2223



1.800.827.6443

ABATEMENT.CA

IAQINFO@ABATEMENT.CA

Compliance with Standards and Guidelines

For the past 20 years, Abatement Technologies has provided health care facilities with the technology they need to comply with current infection-control standards and practices in an effective and economical manner. These include guidelines developed by the Centers for Disease Control and Prevention (CDC), Health Canada, the Canadian Standards Association (CSA), the American Institute of Architects (AIA), Department of Homeland Security HRSA Critical Benchmark 2.2, and Joint Commission requirements.

© 2022, Abatement Technologies Limited. All Rights Reserved. No reproduction of any portion of this advertisement is permitted without the express written permission of Abatement Technologies Limited. All illustrations and specifications contained in this advertisement are based on the latest product information available at the time of printing. Abatement Technologies reserves the right to (1) make changes at any time, without notice, to product designs, specifications, materials and colors, (2) to introduce new models to the marketplace and, (3) discontinue products as it sees fit.